

## Forskningsartikler om døvblindhet

### Døvblindhet:

Bedny M, Pascual – Leone A & Saxe RR (2009) Growing up blind does not change the neural bases of Theory of Mind. *Proceedings of the National Academy of Science of the United States of America*, 106(27):11312-11317 [PMCID:PMC2708685](#)

Brabyn JA, Schneck ME, Haegerstrom-Portnoy & Lott LA (2007) Dual sensory loss: overview of problems, visual assessment, and rehabilitation. *Trends in Amplification*, 11(4):219-226. [PMID:18003865](#)

Edlich RF, Winters KL, Long WB 3rd & Gubler KD(2005) Rubella and congenital rubella (German measles). *J Long Term Eff Med Implants*, 15(3):319-28. [PMID:16022642](#)

Dammeyer J (2010) Prevalence and aetiology of congenitally deafblind people in Denmark. *International Journal of Audiology*, 49(2):76-82 [PMID: 20151880](#)

Dammeyer J (2010) Congenital rubella and delayed manifestations. *International Journal of Pediatric Otorhinolaryngology*, 74(9) 1067-1070 [PMID: 20619470](#)

Danermark BD & Möller K (2008) Deafblindness, onotological security and social recognition. *International Journal of Audiology*, 47:119-123 [PMID:19012120](#)

Fellinger J, Holzinger D, Dirmhirn A, Van Dijk J & Goldberg D (2009) Failure to detect deafblindness in a population with intellectual disability. *Journal of intellectual disability research*, 53(10):871-881. [PMID: 19694897](#)

Harthorne TS, Hefner MA & Daveport SL (2005) Behaviour in CHARGE syndrome: introduction to the special topic. *Am J Med Genet A*, 15:133A(3):228-31 [PMID: 15637707](#)

Hovevenaars-van den Boom MAA, Antonissen ACFM, Knoors H & Vervloed MPJ (2009). Differentiating characteristics of deafblindness and autism in people with congenital

deafblindness and profound intellectual disability. *Journal of Intellectual Disability Research*, 53(6), 548-558 [PMID:19457155](#)

Hyvärinen L (2007) Implications of deafblindness on visual assessment procedures: considerations for audiologists, ophthalmologists and interpreters. *Trends in Amplification* 11:227-232 [PMID:18003866](#)

Johansson M, Gillberg C & Råstam M (2010) Autism spectrum conditions in individuals with Möbius sequence, CHARGE syndrome and oculo-auriculo-vertebral spectrum: diagnostic aspects. *Res Dev Disabil*, 31(1): 9-24 [PMID:19709852](#)

Klingenberg C & Andersen (2008) CHARGE-syndromet. *Tidsskrift for den norske legeforening*, 128;1401-1405 [PMID:18552902](#)

Möller C (2003) Deafblindness: living with sensory deprivation. *The Lancet Extreme medicine*, 362,46-47 [PMID: 14698128](#)

Plotkin SA (2001) Rubella eradication. *Elsevier Science Vaccine*, 19, 3311-3319 [PMID:11348695](#)

Prain M, McVilly K, Ramcharan P, Currie S, Reece J (2010) Observing the behaviour and interactions of adults with congenital deafblindness living in community residences. *J Intellect Dev Disabil*. 2010;35(2): 82-91 [PMID: 20560696](#)

Leveresen KT, Sommerfelt K, Rønnestad A, Kaaresen PI, Farstad T, Skranes J, Støen R, Elgen IB, Rettedal S, Eide GE, Irgens LM & Markestad T (2010) Predicting neurosensory disabilities at two years of age in a national cohort of extremely premature infants. *Early Hum Dev*. 86(9):581-6. Epub 2010 Aug 30 [PMID: 20800392](#)

Simon HJ & Levitt H (2007) Effect of Dual sensory loss on Auditory localization: Implications for intervention. *Trends in Amplification* 11:259-270 [PMID:18003869](#)

Wulffaert J, Scholte EM, Dijkxhoorn YM, Bergman JE, van Ravenswaaij CM & van Berckelaer-Onnes IA (2009) Parenting Stress in CHARGE Syndrome and the Relationship with Child Characteristics. *J Dev Phys Disabilities*, 21(4):301-313 [PMID:19587801](#)

### **Språk og kommunikasjon:**

Branson D & Demchak M (2009) The use of augmentative and alternative communication methods with infants and toddlers with disabilities: A research review. *Augmentative and alternative communication*, 25(4): 274-86 [PMID: 19883287](#)

Bruce SM (2005). The impact of congenital deafblindness on the struggle to symbolism. *International journal of disability, development and education*, 52(3):233-251 [doi: 10349120500252882](#)

Connor CM, Hieber S & Arts HA (2000) Speech, vocabulary, and education of children using cochlear implants: oral or total communication. *J Speech Lang Hear Res*, 43(5), 1185-1204. [PMID:11063240](#)

Dammeyer J(2009) Congenitally Deafblind Children and Cochlear Implants: Effects on Communication. *Journal of Deaf Studies and Deaf Education*, 14(2), 278-288. [PMID:18981265](#)

Dammeyer J(2011) Mental and behavioral disorders among people with congenital deafblindness. *Res Dev Disabil*. 2011 Jan 10. [Epub ahead of print] [PMID: 21227639](#)

Emmorey K, Korpics F & Petronio (2009) The use of visual feedback during signing: evidence from signers with impaired vision. *J deaf Stud Educ*, 14 (1); 99-104 [PMID:18495656](#)

Goldwin-Meadow S, Mylander C & Franklin A(2007) How children make language out of gesture: morphological structure in gesture systems developed by American and Chinese deaf children. *Cognitive Psychology*, 55(2), 87-135 [PMID:17070512](#)

Goldwin – Meadow S(2007) Pointing sets the stage for learning – and creating language. *Child Development*, 78(3), 741-745. [PMID:17517001](#)

Goldwin-Meadow S(2002) Construction communication by hand. *Cognitive Development*,17(3-4), 1385-1405. [Link to paper](#)

Hart P(2006) Using imitation with congenitally deafblind adults: Establishing a meaningful communication. *Inf. Child Dev*, 15:263-274 [Link to paper](#)

Preisler G (2005) Development of communication in deafblind children. *Scandinavian Journal of Disability Research*, 7 (1) 41-62 [DOI: 10.1080/15017410510032145](#)

Obretenova S, Halko MA, Plow EB, Pascual-Leone A & Merabet LB (2010) Neuroplasticity associated with tactile language communication in deaf-blind subject. *Front Hum Neurosci* 4(3): 60 [PMID: 20130756](#)

O'Donoghue GH, Nikolopoulos TP & Archbold SM (2000) Determinants of speech perception in children after cochlear implantation. *The Lancet*, 356;466-468

Todd F (2001) Keep in touch. *Nurse Stand*. 4;16(11):21.

Vervloed M – PJ, van Dijk JM, Knoors H & van Dijk J-PM (2006) Interaction between the teacher and the congenitally Deafblind child. *American Annals of the Deaf*, 151(3):336-344 [PMID:17087444](#)

### **Syn:**

Alteheld N, Roessler G & Walter P (2007) Towards the bionic eye – the retina implant: surgical, ophthalmological and histopathological perspectives. *Acta Neurochir Supplement*, 97(2),487-493. [PMID:17691339](#)

Carporusso N, Mkrtehyan C & Badian B (2009) A multimodal interface device for online board games designed for sight-impaired people. *IEEE Trans Inf Techno Biomed* Ahead of print [PMID:19858031](#)

Chung DC, Lee V & Maguire AM (2009) Recent advances in ocular therapy. *Curr opin Ophthalmol*, 20(5):377-381 [PMID:19667988](#)

Dowling J (2008) Current and future prospects for optoelectronic retinal prostheses. *Eye advance online publication* doi:10.1038/eye.2008.385 [PMID:19098703](#)

Maguire AM, Simonelli F, Pierce EA, Pugh EN, Mingozzi F, Bennicelli J, Banfi S, Marshall KA, Testa F, Surace EM, Rossi S, Lyubarsky *et al* (2008) Safety and efficacy of gene transfer for Leber's congenital amaurosis. *The New England Journal of Medicine*, 358(21): 2240-2248 [PMID:18441370](#)

Nikolic K, Grossman N, Drakakis E, Toumazou C & Degenaar P (2007) A non-invasive retinal prosthesis – Testing the concept. *IEEE Xplore Eng Med Biol Soc* 2007:6365-7 [PMID:18003477](#)

Pezaris JS & Eskandar EN (2009) Getting signals into the brain: visual prosthetics through thalamic microstimulation, *Neurosurg Focus* 27:1-11 [PMID:19569894](#)

### **Hørsel:**

Chen JK, Chuang AY, McMahon C, Hsieh JC, Tung TH & Li LP (2010) Music training improves perception in prelingually deafened children with cochlear implants. *Paediatrics*, Ahead of print [PMID: 20211951](#)

Cheng, AK, Rubin HR, Powe NR, Mellon NK, Francis HW & Niparko JK (2000) Cost-Utility Analysis of Cochlear implants in children. *JAMA* 284(7): 850-856 [PMID:10938174](#)

Colletti, L (2007) Beneficial auditory and cognitive effects of auditory brainstem implantation in children. *Acta Oto-Laryngologica*, 127(9), 943-946. [PMID:17712673](#)

Colletti V, Carner M, Miorelli V, Guida M, Colletti L & Fiorino F (2005) Auditory Brainstem implant (ABI): New frontiers in Adults and Children. *Otolaryngology – Head and Neck Surgery*, 133, 126-138. [PMID:16025066](#)

Elvsåshagen T, Solyga V, Bakke SJ, Heiberg A & Kerty E (2009) Nevrofibromatose type 2 og auditorisk hjernestammeimplantat. *Tidskrift for Den norske legeförening*, 15(129):1469-1473 [PMID:19690597](#)

Palmgren B, Jin Z, Rosenhall U & Duan M (2008) Gene therapy in hereditary hearing loss. Future therapeutic possibility – maybe combined with stem cells. *Läkertidningen* 36(105):2406-2410. [PMID:18831451](#)

Larson BG, Green JE, Roland JT, Lalwani AK & Waltzman SB (2007) Cochlear implantation in children with CHARGE syndrome: Therapeutic Decisions and outcomes. *The Laryngoscope*, 117:1260-1266. [PMID:17507827](#)

Lenarz T, Lim HH, Reuter G, Patrich & Lenarz M (2006) The auditory midbrain implant: A new auditory prosthesis for neural deafness – concept and device description. *Otology & Neurotology*; 27:838-843 [PMID:18348902](#)

Morimoto AK, Wiggins III RH, Hudgins PA, Hedlund GL, Hamilton B, Mukherji SK, Telian SA & Harnsberger (2006) Absent semicircular canals in CHARGE syndrome: Radiologic spectrum of findings. *Am J Neuroradiol*, 27:1663-1671. [PMID:16971610](#)

O'Donoghue GH, Nikolopoulos TP, Archbold SM & Tait M (1998) Congenitally deaf children following cochlear implantation. *Acta Otorhinolaryngol Belg*, 52:111-114

Edwards LC (2007) *Children with Cochlear Implants and Complex Needs: A review of Outcome Research and Psychological Practice*. Oxford University Press. [PMID:17493953](#)

Liu XZ, Angeli SI, Rajput K, Yan D, Hodges AV, Eshraghi A, Telischi FF & Balkany TJ (2008) Cochlear implantation in individuals with Usher type 1 syndrome. *International Journal of Pediatric Otorhinolaryngology*, 72, 841-847. [PMID:18395802](#)

Simonsen E, Kristoffersen AE, Hyde MB & Hjulstad O (2009) Great expectations: perspectives on cochlear implants of deaf children in Norway. *Am Ann Deaf* 154(3): 263-73 [PMID:19957480](#)

Soper J (2006) Deafblind people's experiences of cochlear implantation. *The British Journal of Visual Impairment*, 24(1):19-28.

Wie OB, Falkenberg ES, Tvette O & Tomblin B (2007). Children with cochlear implant: characteristics and determinants of speech recognition, speech-recognition growth rate, and speech production. *Int J Audiol*, 46(5):232-43 [PMID:17487671](#)

### **Genetikk:**

Auslender N, Bandah D, Rizel L, Behar DM, Shohat M, Banin E, Allon-Shalev S, Sharony D & Ben-Yosef T (2008) Four USH2A Founder Mutations Underlie the Majority of Usher Syndrome Type 2 Cases among Non-Ashkenazi Jews. *Genetic Testing*, 12(2),289-294. [PMID:18452394](#)

Bahmad F, Merchant SN, Nadol JB & Tranebjærg L (2007) Otopathology in Mohr-Tranebjærg syndrome. *Laryngoscope* 117(7), 1202-1208. [PMID:17471106](#)

Boughman JA & Fishman (1983) A genetic analysis of retinitis pigmentosa. *Br J Ophthalmol*, 67(7):449-54. [PMID:6860611](#)

Ebermann, I, Philips JB, Liebau MC, Koenekoop RK, Schermer B, Lopez I, Schäfer E, Roux, A-F, Dafiner C, Bernd B, Zrenner E, Claustres M, Blanco B, Nürnberg G, Nürnberg P, Ruland R, Westerfield M, Benzing T & Bolz HJ (2010) PDCD7 is a modifier of retinal disease and a contributor to digenic Usher syndrome. *Journal of Clinical Investigation*, a head of print  
[PMID: 20440071](#)

Ebermann I, Wilke R, Lauhoff T, Lübber, Zrenner & Bolz HJ (2007) Two truncating USH3A mutations, including one novel, in a German family with Usher syndrome. *Molecular Vision* 13:1539-1547. [PMID:17893653](#)

Pennings RJE, te Brincke H, Weston MD, Claassen A, Orten DJ, Weekamp H, Van Aarem A, Hugyen PLM, Deutman AF, Hoefsloot LH, Cremers FPM, Cremers CWRJ, Kimberling WJ

& Kremer H (2004) USH2A Mutation Analysis in 70 Dutch Families with Usher Syndrome Type II. *Human Mutation Mutation in Breif*, 24(2): 185-194. [PMID:15241801](#)

Ebermann I, Lopez I, Bitner-Glindzicz, Brown C, Koenekoop RK & Bolz HJ (2007) Deafblindness in the French Canadians from Quebec: a predominant founder mutation in the USH1C gene provides the first genetic link with the Acadian population. *Genome Biology*, 8(4):R47 [PMID:17407589](#)

Lentz JJ, Gordon WC, Farris HE, MacDonald GH, Cunningham DE, Robbins CA, Tempel BL, Bazan NG, Rubel EW, Oesterie EC & Keats BJ (2010) Deafness and retinal degeneration in novel USH1C knock-in mouse model. *Dev Neurobiolo* 70(4):253-67 [PMID: 20095043](#)

van Wijk E, Kersten –F-FJ, Kartono A, Mans DA, Brandwijk K, Letteboer SJF, Peters TA, Märker T, Yan X, Cremers C-WRJ, Cremers F-PM, Wolfrum U, Roepman R & Kremer H (2009) Usher syndrome and Leber congenital amaurosis are molecularly linked via a novel isiform of the centrosomal ninein-like protein. *Human Molecular Genetics*, 18(1):51-64. [PMID:18826961](#)

Västinsalo H, Jalkanen R, Dinculescu A, Isosomppi J, Geller S, Flannery JG, Hauswirth WW & Sankila E-M (2010) Alternative splice variants of the USH3A gene Clarin 1 (CLRN1). *European Journal of Human Genetics*, 1-6. [PMID: 20717163](#)

Weston MD, Lujendijk MW, Humphrey KD, Möller C & Kimberling WJ (2004) Mutations in the VLGR1 gene implicate G-protein signaling in the pathogenesis of Ushers syndrome type II. *American Journal of Human Genetics* 74:357-66. [PMID:14740321](#)

Yanai D, Weiland JD, Mahadevappa M, Greenberg RJ, Fine I & Humayun MS (2007) Visual Performance Using a Retinal Prosthesis in Three Subjects With Retinitis Pigmentosa. *American Journal of Ophthalmology*, 143, 820 [PMID:17362868](#)

### **Usher syndrom:**

Boughman JA, Vernon M & Shaver KA. (1983) Usher syndrome: Definition and estimate of prevalence from two high-risk population. *Journal of chronic diseases*, 36(8), 595-603. [PMID:6885960](#)

Dreyer B, Brox V, Tranebjerg L, Rosenberg T, Sadeghi AM, Möller C & Nilssen Ø (2008) Spectrum of USH2A Mutations in Scandinavian Patients with Usher Syndrome Type II. *Human Mutation in Brief #995(2008) Online*. [PMID:18273898](#)

Genead MA, Fishman GA (2010) Efficacy of substaigned topical Dorzolamide Therapy for Cystic Macular Lesions in Patients with retinitis pigmentosa and usher syndrome. *Arch Ophthalmol*, 128(9): 1146-1150. [PMID: 20837798](#)

Grover S, Fishman GA, Anderson RJ, Alexander KR & Derlacki DJ (1997) Rate of visual field loss in retinitis pigmentosa. *Ophthalmology*, 104:460-465. [PMID:9082273](#)

Grøndahl, J (1987) Estimation of prognosis and prevalence of RP and Usher syndrome in Norway. *Clinical Genetics* 31:255-264. [PMID:3594933](#)

Grøndahl J & Mjøen S (1987) Usher syndrome in four Norwegian counties. *Clinical Genetics* 30:14-28. [PMID:3757293](#)

Haim M (2002) Epidemiology of retinitis pigmentosa in Denmark. *Acta Ophthalmol Scand Suppl*, 2002(233):1-34. [PMID:11921605](#)

Kimberling WJ, Hildebrand MS, Shearer AE, Jensen ML, Halder JA, Trzuppek K, Cohn ES, Weleber RG, Stone EM & Smith RJ (2010) Frequency of Usher syndrome in two pediatric populations: Implications for genetic screening of deaf and hard of hearing children. *Genet Med*.;12(8):512-6. [PMID: 20613545](#)

Nakanishi H, Ohtsubo M, Iwasaki S, Hotta Y, Mizuta K, Mineta H & Minoshima S (2010)

Hair roots as an mRNA source for mutation analysis of Usher syndrome-causing genes. *J Hum Genet.* [Epub ahead of print] [PMID: 20596040](#)

Haim M (2002) Epidemiology of retinitis pigmentosa in Denmark. *Acta Ophthalmol Scand Suppl*, 2002(233): 1-34. [PMID:11921605](#)

Plantinga RF, Pennings RJF, Hugyen PLM, Sankila E-M, Tuppurainen K, Kleemola L, Cremer CWRJ & Deutman AF (2006) Visual impairment in Finnish Usher syndrome type III. *Acta ophthalmologica Scandinavica*, 84, 36-41 [PMID:16445437](#)

Rosenberg T, Haim M, Hauch AM & Parving A (1997) The Prevalence of Usher syndrome and other retinal dystrophyhearing impairment association. *Clinical genetics*, 51(5), 314-321 [PMID:9212179](#)

Rosenberg T & Parving A (1996) A Syndrome with retinitis pigmentosa, progressive hearing impairment, vestibular dysfunction, and congenital cataract. *Acta Ophthalmologica Scandinavica*, 74(219),50-53. [PMID:8741120](#)

Sadeghi M, Cohn ES, Kelly WJ, Kimberling WJ, Tranebjærg & Möller C (2004) Audiological findings in Usher syndrome types IIa and II (non-IIa). *Int J Audiol*, 43(3):136-43 [PMID:15198377](#)

Sadeghi M, Kimberling WJ, Tranebjærg L & Möller C (2004) The prevalence of Usher syndrome in Sweden: A nationwide epidemiological and clinical survey. *Audiological medicine*, 2,220-228.

Sadeghi M (2005) *Usher Syndrome - Prevalence and phenotype-genotype correlations correlations*. Department of Audiology The Sahlgrenska Academy of Goteborg University, Sweden. Göteborg <http://hdl.handle.net/2077/16477>

Sadeghi M , Eriksson K, Kimberling WJ, Sjostrom A & Möller C (2006) Long term visual prognosis in Usher I and Usher II. *Acta Ophthalmology Scandinavia*, 84,537-544. [PMID:16879578](#)

Saihan Z, Webster AR, Luxon L & Bitner-Glindzicz (2009) Update on Usher syndrome, *Curr Opin Neurol*, 22:19-27 [PMID:19165952](#)

**Kodeverktøy:**

Möller K(2003) Deafblindness: a challenge for assessment - is the ICF a useful tool? *International Journal of Audiology*; 42:140-142. [PMID:12918621](#)

World Health Organization (2007). International classification of Diseases: ICD - 10. Geneva: WHO <http://www.who.int/classifications/icd/en/>

World Health Organization (2001). International classification of functioning, disability and health: ICF. Geneva: WHO. <http://www.who.int/classifications/icf/en>

Referanselisten ble sist oppdatert 27.01.2011